

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/018,754	12/21/2001	Shizuo Sumida	835.1026	2810
	590 07/15/2004		EXAMINER	
STAAS & HALSEY LLP SUITE 700 1201 NEW YORK AVENUE, N.W. WASHINGTON, DC 20005			LAU, TUNG S	
			ART UNIT	PAPER NUMBER
			2863	
			DATE MAILED: 07/15/2007	1

Please find below and/or attached an Office communication concerning this application or proceeding.

•			(
	Application No.	Applicant(s)			
	10/018,754	SUMIDA ET AL.			
Office Action Summary	Examiner	Art Unit			
	Tung S Lau	2863			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet	with the correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may within the statutory minimum of the fill apply and will expire SIX (6) MC cause the application to become	a reply be timely filed nirty (30) days will be considered timely. NTHS from the mailing date of this communication. ARANDONED (35.U.S.C. 8.133)			
Status					
1) Responsive to communication(s) filed on 6-18-					
2a)☐ This action is FINAL . 2b)☒ This action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	x parte Quayle, 1935 C.	D. 11, 453 O.G. 213.			
Disposition of Claims		-			
4) ☐ Claim(s) 1-24 is/are pending in the application. 4a) Of the above claim(s) 24 is/are withdrawn fr 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-6,11,16 and 19-23 is/are rejected. 7) ☐ Claim(s) 7-10,12-15,17 and 18 is/are objected is 8) ☐ Claim(s) are subject to restriction and/or	to.				
Application Papers					
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the consequence of the consequen	epted or b) objected to Irawing(s) be held in abeya on is required if the drawin	ance. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of	have been received. have been received in a ty documents have bee (PCT Rule 17.2(a)).	Application No n received in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application (PTO-152)			

U.S. Patent and Trademark Office PTOL-326 (Rev. 1-04)

Art Unit: 2863

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 4-27-2004 has been entered.

Election/Restrictions

Combination/subcombination

- 2. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - Claims 1-23, drawn to characteristic value identification with function model, classified in class 702, subclass 189.
 - II. Claim 24, drawn to characteristic value identification with mechanical part function model, classified in class 703, subclass 7.

The inventions are distinct, each from the other because of the following reasons:

Invention I and II are related as combination (invention I) and subcombination (invention II). Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particular of the subcombinations as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the particulars of the subcombination as claimed because Invention II, the

Art Unit: 2863

combination as claimed does not required mechanical part function model. The subcombination (invention II) has separate utility such as characteristic value identification with mechanical part function model.

Because these inventions are distinct for the reasons given above and the search required for Group I is not required for Group II, restriction for examination purposes as indicated is proper.

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Applicant's election with traverse of claims 1-23 in 5-18-2004 is acknowledged. The traversal is on the ground(s) that (a) indicates that invention must be independent and (b) there are no burden on the examination. This is not found persuasive because regarding (a) Invention I and II are related as combination (invention I) and subcombination (invention II). Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particular of the subcombinations as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the particulars of the subcombination as claimed because Invention II, the combination as claimed does not required mechanical part function model. The subcombination (invention II) has separate utility such as

Art Unit: 2863

characteristic value identification with mechanical part function model. Because these inventions are distinct for the reasons given above and the search required for Group I is not required for Group II, restriction for examination purposes as indicated is proper. Regarding (b) examining different class (702/189 and 703/7) would required serious burden on the examination see MPEP § 806.05(c).

The requirement is still deemed proper and is therefore made FINAL.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 11, 2, 3, 4, 5, 6, 16, 19, 20, 21, 22 and 23 are rejected under 35 U.S.C. 102(b) as being anticipated by Yamamoto (U.S. Patent 5,594,670).

Regarding claim 1:

Yamamoto discloses a characteristic value identification method comprising a first process for preparing a functional model of a product part based on a potential quantity and a flow quantity representing energy applied to the product part (Col. 2, Lines 6-51), a second process for converting the functional model into a steady functional model in a steady state to identify a steady internal characteristic value (fig. 3, Col. 4-7, Lines 62-52), and a third process for

Art Unit: 2863

identifying a transient internal characteristic value of the functional model in a transient state by using the steady internal characteristic value (Col. 22-24, Lines 48-4).

Regarding claim 11:

Yamamoto discloses a characteristic value identification apparatus comprising block replacement means for a functional model of a product part prepared by a potential quantity and a flow quantity representing a strength and a quantity of energy applied to the product part (Col. 2, Lines 6-51), test reproduction means for reproducing at least one steady test model in a steady state of the functional model and at least one transient test model in a transient state (fig. 3, Col. 4-7, Lines 62-52), testing means of the product part for performing a steady test and a transient test respectively corresponding to the steady test model and the transient test model (Col. 22-24, Lines 48-4), measurement means for collecting steady test data and transient test data at a time when a steady test and a transient test of the product part are performed by the testing means (fig. 3, Col. 4-7, Lines 62-52), and calculating means for identifying a steady internal characteristic value of the steady test model by using the steady test data, for applying the steady internal characteristic value to the transient test model to generate transient phenomenon reproduction data (Col. 22-24, Lines 48-4), and for correcting the transient phenomenon reproduction data based on an error between the transient phenomenon reproduction data and the transient test data.

Art Unit: 2863

thereby identifying a transient internal characteristic value (Col. 22-24, Lines 48-4).

Regarding claim 23:

Yamamoto discloses a character value identification method including preparing a functional model of a product part based on a potential quantity and flow quantity representing energy applied to the product part (Col. 2, Lines 6-51, fig. 1, 2), converting the functional model into a steady state functional model to identify a steady internal characteristic value (fig. 3, Col. 4-7, Lines 62-52), identifying a transient internal characteristic value of the functional model in a transient state by using the steady internal characteristic value (Col. 22-24, Lines 48-4).

Regarding claims 2, 3, 4, 5, 6, 16, 19, 20, 21 and 22:

Yamamoto also disclose:

The characteristic value identification method wherein the second process includes; a first step for determining an internal characteristic value of at least one steady test model from the steady functional model (Col. 2, Lines 6-51), a second step for collecting steady test data by performing a test corresponding to the steady test model (Col. 2, Lines 6-51), and a third step for identifying a steady internal characteristic value of the internal characteristic value based on the steady test data (Col. 2, Lines 6-51).

Art Unit: 2863

The characteristic value identification method wherein the first step determines the internal characteristic value from a government equation in the steady state of the functional model (fig. 3, Col. 4-7, Lines 62-52).

The characteristic value identification method wherein the third step converts the government equation into a recurrence equation to determine the steady internal characteristic value from a recurrence coefficient of the recurrence equation (fig. 3, Col. 4-7, Lines 62-52).

The characteristic value identification method wherein the third step divides the steady internal characteristic value into a known factor and an unknown factor to identify the steady internal characteristic value of the unknown factor (fig. 3, Col. 4-7, Lines 62-52).

The characteristic value identification method includes a first step for determining an internal characteristic value of at least one transient test model in a transient state of the functional model (Col. 2, Lines 6-51), a second step for collecting transient test data by performing a test corresponding to the transient test model (Col. 22-24, Lines 48-4), a third step for applying the steady internal characteristic value to the internal characteristic value of the transient test model to generate transient phenomenon reproduction data (Col. 22-24, Lines 48-4), and a fourth step for correcting the transient phenomenon reproduction data based on an error between the transient phenomenon reproduction data and the transient test data, thereby identifying a transient internal characteristic value (Col. 22-24, Lines 48-4).

Art Unit: 2863

A virtual testing system which incorporates a functional model, as a virtual prototype, having an internal characteristic value identified by a characteristic value identification apparatus comprising condition assigning means for assigning a driving operation condition and an environment condition to the characteristic value identification apparatus, observation means for observing reproduction data obtained by the virtual prototype when the driving operation condition and the environment condition are assigned (Col. 2, Lines 6-51, fig. 3), and evaluation means for evaluating an observation result of the observation means (Col. 2, Lines 6-51, fig. 1).

Claim Objections

4. Claims 7-10, 12-15 and 17-18 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all the limitation of the base claim and any intervening claims.

The following is an examiner's statement of reasons for allowance: prior art fail to teach the error does not lie within an allowable range the fourth step repeatedly corrects a predetermined transient internal characteristic value within the transient phenomenon reproduction data until the error lies within the allowable range, and determines the transient internal characteristic value to be identified when the error lies within the allowable range. The use of variance deviation as a

Art Unit: 2863

time history sensitivity, maximum sensitivity, the evaluation of re-identification machine test data.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tung S Lau whose telephone number is 571-272-2274. The examiner can normally be reached on M-F 9-5:30. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on 571-272-2269. The fax phone numbers for the organization where this application or proceeding is assigned is 703-872-9306

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TL

Commission Commission